

Customer:



Report Issue Date  
12/1/2021

Sample ID: 1111394  
Laboratory Number: ATL-2884

Extraction Technician: HP  
Analytical Chemist: HP

Sample Description/Size: Neon Cubes  
D10 25mg per gummy

Unit Weight: 2.9g

*Hernan Prieto*



# CANNABINOID PROFILE

Order Date  
11/23/2021

Analysis Date  
11/29/2021

## Cannabinoids (HPLC)

## Results

## Cannabinoid (%)

Test	LOD (mg/g)	mg/gummy	%	0	20	40	60	80	100
Cannabidiol (CBD)	<0.05	0	0						
Cannabidiol Acid (as CBD)	<0.04	0	0						
Cannabigerol Acid (as CBG)	<0.04	0	0						
Cannabigerol (CBG)	<0.05	0	0						
Cannabidiol (CBD)	<0.05	0	0						
Cannabinol (CBN)	<0.05	3.2	0.11						
Delta 9-Tetrahydrocannabinol (THC)	<0.05	0	0						
Delta 8-Tetrahydrocannabinol	<0.05	14.4	0.51						
Delta 10-Tetrahydrocannabinol (THC)	<0.05	7.2	0.25						
Cannabichromene (CBC)	<0.05	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.04	0	0						

## Cannabinoids Total

Test	mg/gummy	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	0	0						
T.Active Cannabinoids	24.82	0.87						
Total Cannabinoids	24.82	0.87						

Analysis Method ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDA and CBD at +/- 4%. The uncertainty for THCA and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

